





-  BENNA A POLIPO PER MOVIMENTAZIONE ROTTAME
 POLYP-GRAB FOR SCRAP'S HANDLING
 GRAPPIN POUR LA MANIPULATION DE LE FERRAILLE
 MEHRSCHALENGREIFER

	PORTATA GRU A BRACCIO SFILATO CRANE CAPACITY AT THE BOOM END CAPAC. GRUE À ALLONGEMENT MAXI TRAGKRAFT ENDE KRANAUSLEGER	1.2 t – 2.5 t
---	--	---------------

MODELLO - MODEL MODÈLE - MODELL		RTG250 A	RTG250 D	RTG300 A	RTG300 D
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm³	250		300	
PESO - WEIGHT POIDS - GEWICHT	kg	440	460	460	480
PRESS. - PRESSURE PRESSION - DRUCK	bar	300			
DENTI - TEETH DENTS - ZÄHNE	N°	6			
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	1500		1650	
	B	1100		1110	
	C	1680		1815	
	D	950	1030	1020	1100
	E	760	840	790	870



RTG.... A






RTG.... D





 Rozzi S.p.A.

25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
 www.rozzi.it - mail@rozzi.it





	PORTATA GRU A BRACCIO SFILATO CRANE CAPACITY AT THE BOOM END CAPAC. GRUE À ALLONGEMENT MAXI TRAGKRAFT ENDE KRANAUSLEGER	0.8 t – 2.4 t
	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE	6 t – 10 t

MODELLO - MODEL MODÈLE - MODELL		RP250 4P	RP250 5P	RP300 4P	RP300 5P
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm³	250	250	300	300
PESO - WEIGHT POIDS - GEWICHT	kg	310	350	400	450
PRESS. - PRESSURE PRESSION - DRUCK	bar	280	280	280	280
DENTI - TEETH DENTS - ZÄHNE	N°	4	5	4	5
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	1400	1400	1615	1615
	B	1060	1060	1180	1180
	C	1600	1600	1780	1780
	D	855	855	950	950
	E	730	730	790	790




25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
 www.rozzi.it - mail@rozzi.it



		BENNA A POLIPO PER MOVIMENTAZIONE ROTTAME
		POLYP-GRAB FOR SCRAP'S HANDLING
		GRAPPIN POUR LA MANIPULATION DE LE FERRAILE
		MEHRSCHALENGREIFER

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE	15 t – 20 t
---	---	-------------

MODELLO - MODEL MODÈLE - MODELL		RP500A 6P	RP500A 5P	RPG500A 6P	RPG500A 5P
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm³	500			
PESO - WEIGHT POIDS - GEWICHT	kg	960	890	1060	990
PRESS. - PRESSURE PRESSION - DRUCK	bar	320			
DENTI - TEETH DENTS - ZÄHNE	N°	6	5	6	5
FORZA AL DENTE TOOTH FORCE PUISS. À LA DENT SCHLIEßKRAFT JE SCHALE	kg	2520			
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	1830			
	B	1490			
	C	2100			
	D	1165		1415	
	E	995		1245	



P	PA	S	SL
			

RP500A




RP500A – 5P



R3IR


RPG500A 6P






Rozzi S.p.A.

Via Barca, 7 - 25020 SENIGA (Brescia) – Italy
Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it


-  BENNA A POLIPO PER MOVIMENTAZIONE ROTTAME
 POLYP-GRAB FOR SCRAP'S HANDLING
 GRAPPIN POUR LA MANIPULATION DE LE FERRAILE
 MEHRSCHALENGREIFER

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE	18 t – 23 t
---	---	-------------

		RP502 6P	RP502 5P	RP502 5S	RP602 6P	RP602 5P	RP602 5S
PESO - WEIGHT POIDS - GEWICHT	kg	1100	980	900	1130	1010	930
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm³	500			600		
PRESS. - PRESSURE PRESSION - DRUCK	bar	320					
DENTI - TEETH DENTS - ZÄHNE	N°	6	5	5	6	5	5
FORZA AL DENTE TOOTH FORCE PUISS. À LA DENT SCHLIEßKRAFT JE SCHALE	Kg	2935			2690		
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	1890			2045		
	B	1515			1515		
	C	2150			2285		
	D	1210			1295		
	E	970			1000		




RP502-6P



RP502-5P
RP602-5P









RP502-5S
RP602-5S



-  BENNA A POLIPO PER MOVIMENTAZIONE ROTTAME
 POLYP-GRAB FOR SCRAP'S HANDLING
 GRAPPIN POUR LA MANIPULATION DE LE FERRAILE
 MEHRSCHALENGREIFER

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE	18 t – 23 t
---	---	-------------

		RPG502 6P	RPG502 5P	RPG502 5S	RPG602 6P	RPG602 5P	RPG602 5S
PESO - WEIGHT POIDS - GEWICHT	kg	1200 (R3)	1080 (R3)	1000 (R3)	1230 (R3)	1110 (R3)	1030 (R3)
	kg	1270 (R3B)	1150 (R3B)	1070 (R3B)	1300 (R3B)	1180 (R3B)	1100 (R3B)
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm³	500			600		
PRESS. - PRESSURE PRESSION - DRUCK	bar	320					
DENTI - TEETH DENTS - ZÄHNE	N°	6	5	5	6	5	5
FORZA AL DENTE TOOTH FORCE PUISS. À LA DENT SCHLIEßKRAFT JE SCHALE	Kg	2935			2690		
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	1890			2045		
	B	1515			1515		
	C	2150			2285		
	D	1080			1165		
	E	840			865		




Rozzi S.p.A.

Via Barca, 7 - 25020 SENIGA (Brescia) – Italy
 Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it

		BENNA A POLIPO PER MOVIMENTAZIONE ROTTAME
		POLYP-GRAB FOR SCRAP'S HANDLING
		GRAPPIN POUR LA MANIPULATION DE LE FERRAILE
		MEHRSCHALENGREIFER

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE	22 t – 28 t
---	---	-------------

MODELLO - MODEL MODÈLE - MODELL		RV550 6P	RV550 5P	RVG550 6P	RVG550 5P
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm³	550			
PESO - WEIGHT POIDS - GEWICHT	kg	1385	1310	1535	1460
PRESS. - PRESSURE PRESSION - DRUCK	bar	300			
DENTI - TEETH DENTS - ZÄHNE	N°	6	5	6	5
FORZA AL DENTE TOOTH FORCE PUISS. À LA DENT SCHLIEßKRAFT JE SCHALE	kg	2635			
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	2000			
	B	1400			
	C	2215			
	D	1810		1920	
	E	1545		1655	



P	PA	S	SL
			

RV550 – 6P




RV550 – 5P



R3B M24 IR

RVG550 – 5P



PA	
P	
SL	
S	

-  **DEMOLITORI SELEZIONATORI**
 **DEMOLITION AND SORTING GRABS**
 **PINCES TRIER ET DÉMOLIR**
 **ABBRUCH- UND SORTIERGREIFER**




	PESO ESCAVATORE	1,5 t – 4 t – RS100 3 t – 6 t – RS195
	EXCAVATOR WEIGHT	
	POIDS DE LA PELLE	
	BAGGER GEWICHTSKLASSE	

MODELLO - MODEL MODÈLE - MODELL		RS100	RS195
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm ³	17	40
PESO - WEIGHT POIDS - GEWICHT	kg	70	150
PRESSIONE - PRESSURE PRESSION - DRUCK	bar	300	300
FORZA ALLA LAMA - TINE FORCE PUISS. À LA LAME - SCHL. JE SCHALE	kg	1150	2320
DIMENSIONI - SIZES DIMENSIONS - ABMESSUNGEN	A	675	970
	B	700	1000
	C	490	670
	D	380	600
	E	360	580
	L	300	370



ROTATORE – ROTATOR – DREHMOTOR – ROTOR


MODELLO - MODEL MODÈLE - MODELL		R104X	R 605	R 606
PESO - WEIGHT POIDS - GEWICHT	kg	45	40	55
DIMENSIONI - SIZES DIMENSIONS - ABMESSUNGEN	F	270	180	185






Rozzi S.p.A.

25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it


-   DEMOLITORI SELEZIONATORI
  DEMOLITION AND SORTING GRABS
  PINCES TRIER ET DÉMOLIR
  ABRUCH- UND SORTIERGREIFER

	PESO ESCAVATORE	6 t – 12 t RSG300
	EXCAVATOR WEIGHT	10 t – 15 t RSG 400
	POIDS DE LA PELLE	
	BAGGER GEWICHTSKLASSE	


MODELLO - MODEL MODÈLE - MODELL		RSG300F	RSG400F	RSG450F
CAPACITA' - CAPACITY CAPACITÉ - INHALT	dm ³	100	220	260
PESO - WEIGHT POIDS - GEWICHT	kg	390	750	780
PRESSIONE - PRESSURE PRESSION - DRUCK	bar	300	300	300
FORZA AL DENTE TOOTH FORCE PUISS. À LA DENT SCHL. JE SCHALE	kg	2500	3300	3300
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	1350	1840	1840
	B	1400	1930	1930
	C	800	1110	1110
	D	950	1180	1180
	E	900	960	960
	L	450	600	700
ROTATORE – ROTATOR – DREHMOTOR – ROTOR				
PRESSIONE - PRESSURE PRESSION - DRUCK	bar	250	150	150
PORTATA - FLOW DÉBIT - LEISTUNG	l/min	30	30	30



RSG300



RSG400




Rozzi S.p.A.

25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
 www.rozzi.it - mail@rozzi.it

 **R51 PINZA PER CARROZZERIE**
 **R51 GRAB FOR CAR-BODIES HANDLING**
 **R51 PINCE POUR CARROSSERIES**
 **R51 ZANGE FÜR AUTOVERWERTUNG**

R58 PINZA STRAPPA-MOTORI
R58 ENGINE REMOVAL GRAB
R58 PINCE ARRACHE-MOTEURS
R58 ZANGE FÜR MOTORENENTSORGUNG

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE	R51 8 t – 16 t
		R58 15 t – 25 t


MODELLO - MODEL MODÈLE - MODELL		R51	R58
PORTATA - LIFTING CAPACITY PORTÉE - TRAGKRAFT	kg	2000	1000
PESO - WEIGHT POIDS - GEWICHT	kg	250	260
PRESSIONE - PRESSURE PRESSION - DRUCK	bar	280	300
FORZA AL DENTE - TINE FORCE PUISS. À LA DENT - SCHL. JE SCHALE	kg	1540	1940
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A	2400	1980
	B	2020	1810
	C	600	590
	D	1200	990
	E	640	530
	F	630	520
	G	830	60
	L	480	380



R51



R58



R51



R58


Rozzi S.p.A.

25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it



-   BENNE BIVALVE PER CARICO MATERIALI VARI
  BENNES DOUBLE-COQUILLES POUR CHARGEMENT MATÉRIAUX DIFFÉRENTS
  GRABS FOR LOADING DIFFERENT MATERIALS
  ZWEISCHALENGREIFER FÜR VERLADUNG VON VERSCHIEDENEN WERKSTOFFEN



MODELLO MODEL MODÈLE MODELL	CAPACITÀ CAPACITY CAPACITÉ INHALT dm ³	PESO WEIGHT POIDS GEWICHT kg	PRESSIONE PRESSURE PRESSION DRUCK bar	FORZA FORCE PUISSANCE KRAFT kg	DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN						
					A	B	C	D	E	F	L
R74/200AF	200	310	300	2350	1630	1655	1150	1035	570	90	420
R74/250AF	250	325	300	2350	1630	1655	1150	1035	570	90	520
R74/300AF	300	340	300	2350	1630	1655	1150	1035	570	90	620
R74/400AF	400	360	300	2350	1630	1655	1150	1035	570	90	820





 Rozzi S.p.A.

25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it

-  **BENNA BIVALVE PER SCAVO E CARICO**
 **GRABS FOR DIGGING AND LOADING**
 **BENNES POR EXCAVATION ET CHARGEMENT**
 **ZWEISCHALENGREIFER FÜR AUSHUB UND VERLADUNG**


MODELLO MODEL MODÈLE MODELL	CAPACITÁ CAPACITY CAPACITÉ INHALT dm³	DENTI TEETH DENTS ZÄHNE N°	PESO WEIGHT POIDS GEWICHT kg	PRESSIONE PRESSURE PRESSION DRUCK bar	FORZA FORCE PUISSANCE KRAFT kg	DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN					
						A	B	C	D	E	L
R40/100	100	3	250	250	4150	1200	1300	1100	1300	900	270





MOTORIDUTTORE - MOTOREDUCTER - MOTORÉDUCTEUR - MOTORUNTERSETZUNGSGETRIEBE

MODELLO MODEL MODÈLE MODELL	MOTORE - MOTOR MOTEUR - MOTOR cm ³	RIDUZ. REDUCT. RÉDUCT. REDUKT.	MAX PRESS. MAX DRUCK bar	COPPIA - TORQUE COUPLE - DREHMOM. daN/m	PESO - WEIGHT POIDS - GEWICHT Kg	C	D
RT130	130	1 : 6	200	200	65	400	600




R15-A COCLEA - AUGER WORM MÈCHE - SCHNECKE

Ø	A	B	PESO - WEIGHT POIDS - GEWICHT Kg
200	1650	1500	50
250			60
300			75
350			95
400			105



Rozzi S.p.A.

Via Barca, 7 - 25020 SENIGA (Brescia) – Italy
Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it



Via Barca, 7 25020 SENIGA (BS) - I
 C.F. 01571150174 P. I.V.A. 00638370981
 TEL. (+39)0309955003-9955450
 FAX (+39)0309955363
 C.S. L. 4.000.000.000
www.rozzi.it - mail@rozzi.it


ATTREZZATURE IDRAULICHE
 ÉQUIPMENTS HYDRAULIQUES
 HYDRAULIC EQUIPMENTS
 HYDRAULISCHE ZUSATZGERÄTE

MODELLO MODEL MODÈLE MODELL	MOTORE MOTOR MOTEUR MOTOR	cm ³	RIDUZ. REDUCT. RÉDUCT. REDUKT.	MAX. PRESS. MAX DRUCK	bar	COPPIA TORQUE COUPLE DREHMOM.	daNm	PESO WEIGHT POIDS GEWICHT	Kg	VEL. ROTAZIONE ROTATION SPEED VITESSE DE ROTATION ROTATIONSGESCHWINDIGKEIT	giri/lit	PORTATA OLIO MAX. MAX. OIL FLOW DEBIT D'HUILE MAXI MAX. OELLEISTUNG	Lit/min
RT 130		130	1 : 6	200*		200		65		1,3		50	
RT 170		170	1 : 6	240		330		120		1		60	
RT 750		75	1 : 45	350		1885		265		0,3		160	

*) optional - valvola limitatrice della pressione



-  ROTATORE IDRAULICO
 HYDRAULIC ROTATOR
 ROTATOR HYDRAULIQUE
 HYDRAULISCHER DREHMOTOR

Modello Model Modèle Modell	Portata max. Max. axial load Charge maxi Max. Axialbelastung t	Peso Weight Poids Gewicht kg	Rotation Rotazione Rotation Drehbereich	Coppia max. Max. torque Couple maxi Max. Drehmoment daN/m	Press. max. rot. Max. rot. pressure Press. maxi rotation P. max. Drehmotor bar	Press. Max. benna Max. grab pressure Press. maxi équip. P. max. Greifer bar
R103A	2,5	28	continue	110	250	300
R103F	2,5	35	continue	110	250	300



-  ROTATORE IDRAULICO
 HYDRAULIC ROTATOR
 ROTATOR HYDRAULIQUE
 HYDRAULISCHER DREHMOTOR

Modello Model Modèle Modell	Portata max. Max. axial load Charge maxi Max. Axialbelastung t	Peso Weight Poids Gewicht kg	Coppia max. Max. torque Couple maxi Max. Drehmoment daN/m	Press. max. rot. Max. rot. pressure Press. maxi rotation P. max. Drehmotor bar	Press. Max. benna Max. grab pressure Press. maxi équip. P. max. Greifer bar
R105HA	4.5	55	180	250	300
R105HF	4.5	62	180	250	300

R105HF	R105HA
	
	

 ROTATORE IDRAULICO
 HYDRAULIC ROTATOR
 ROTATOR HYDRAULIQUE
 HYDRAULISCHER DREHMOTOR



Modello Model Modèle Modell	Portata max. Max. axial load Charge axiale maxi Max. Axialbelastung t	Peso Weight Poids Gewicht kg	Coppia max. Max. torque Couple maxi Max. Drehmoment daN/m	Press. max. rot. Max. rot. pressure Press. maxi rotation P. max. Drehmotor bar	Press. Max. benna Max. grab pressure Press. maxi équip. P. max. Greifer bar	Rotazione Rotation Rotation Drehung R	Attrezzatura Équipement Grab Greifer G - GO
R3 M20 IR	7	125	210	190*	350	1/2"	3/4"
R3B M24 IR	12	205	410	320*	350	1/2"	1"

*) Pressure limiting valves fitted.

R3 M20 IR: rotation, recommended oil flow 25 lit/min

R3B M24 IR: rotation, recommended oil flow 35 lit/min

R= rotation - GO = grab open - G = grab close



Model	A mm	B mm	C	C2	D mm	E mm	F mm	G mm	H mm	I mm	J mm	K mm	L mm
R3 M20 IR	Ø275	Ø200	72°	60°	120	Ø17	527	259	30	Ø205	Ø235	Ø305	Ø50
R3B M24 IR	Ø340	Ø230	72°	60°	148	Ø26	600	293	36	Ø260	Ø280	Ø380	Ø70



25020 SENIGA (Brescia) – Italy – Via Barca, 7
 Tel. +39 0309955003 – Fax +39 0309955363
www.rozzi.it - mail@rozzi.it